MOVANO Passenger Carriers

2013 Models Edition 1









Comfort and versatility

Movano raises the bar on cabin design, creating a practical, well-equipped driving environment. With a height-adjustable steering wheel and a driver's seat that's adjustable for height, reach and rake, it's one workspace the driver won't mind spending time in. Outstanding ergonomics – allied to high levels of equipment (including an excellent audio package that now features USB facility and Bluetooth® connectivity as standard), maximum ease of access and operator-friendly features – come together to create the ideal travelling experience.



Improved instruments
Clear and easier to read in a simple,
no-nonsense binnacle.



Drinks holdersTwo facia-mounted drinks holders are standard on all models.



Bluetooth® connectivity
Virtually universal in compatibility and
makes mobile phone communication safe.



Flat-folding middle seat back Flat work surface with two drinks holders and storage tray.

Features include:*

- > Six-way adjustable driver's seat
- > Driver's seat armrest
- > Dual front passengers' bench seat
- CD/MP3 CD player/stereo radio with integrated display
- > Steering column mounted audio controls
- > Aux-in socket
- > USB and Bluetooth® connectivity
- > Electrically operated front windows
- > Remote control central deadlocking and automatic locking feature

Options include:*

- > 'Comfort' driver's seat
- Dual front passengers' bench seat with fold-flat centre seatback with swivel tray and underseat storage – accessed by folding seat cushions
- > Air conditioning



^{*}Not all features and options are available on every model.



Power and efficiency

At the heart of every Movano passenger carrier lies a 2.3 litre 16-valve common rail diesel engine. It delivers seriously impressive performance, excellent fuel economy, low emissions and is available in three power outputs ranging from 100PS/285Nm to 125PS/310Nm and 146PS/350Nm. Along with substantial durability improvements, servicing requirements have also been drastically reduced – up to 25,000 miles/two years.

Transmission

Transmission-wise, a six-speed gearbox – with an electronic 'Shift' indicator – is standard for smooth and economical operation.

Alternatively, you can specify our six-speed Tecshift unit which offers all the benefits associated with a semi-automatic transmission. Page 19 has all the details. So whatever your needs, whoever you're carrying – Movano has it covered.



Six-speed Tecshift transmissionAvailable on most models in the Movano passenger carrier range.

Choice of engines:


- > 2.3CDTI16v (100PS)
- > 2.3CDTI 16v (125PS)
- > 2.3CDTI16v (146PS)

Features include:*

- > Six-speed manual gearbox or Tecshift transmission
- > Power-assisted steering

Options include:*

- > Speed limiter with digital tachograph (standard on minibus models)
- > Cruise control



^{*}Not all features and options are available on every model.



Combi

With a choice of 6- or 9-seat variants – Movano Combi provides the perfect mix of passenger carrying ability and load carrying potential. Safety is a clear priority, with inertia-reel lap and diagonal seatbelts and padded head restraints for every seat. With its dual front passengers' bench seat, rear bench seat for three passengers and single sliding door on the nearside, the 6-seat Combi provides comfortable and accessible seating for all six occupants. Bigger, roomier and altogether more versatile, the 9-seat Combi features a dual front passengers' bench seat plus second- and third-row rear bench seats.



Luggage space
Luggage space is generous, no matter
what the seating configuration (6-seat
model illustrated).



The rear bench seats include floormounted fixing rails so they can be removed without the need for special tools, freeing up additional load area space quickly and easily if required (9-seat model illustrated).

Features include:*

- > Dual front passenger bench seat
- > Rear bench seat for 3 passengers (6-seater)
- Two rear bench seats for 6 passengers (9-seater)
- > Removable function for second- and third-row bench seats
- > Load restraint lashing eyes for load area
- > Selective door-locking with threebutton key
- > Electronic Stability Programme-plus (ESP-plus)


Options include:*

- > Air conditioning
- > Rear parking distance sensors

Combi line-up











^{*}Not all features and options are available on every model.



17-seat Minibus

The purpose-built Movano Minibus provides generous accommodation for seventeen people, with offset double seats on one side of the aisle and single seats on the other for optimum access and comfort. The last two rows of seats can also be specified with optional floor-mounted fixing rails, freeing up additional load area space quickly without the need for special tools. The fully trimmed interior, with overhead coat racks and walkway illumination, has been designed to make even long

journeys a pleasure, while the wide-opening sliding side door and standard electrically operated retracting side step ensure easy passenger access. Additional comfort is provided by individual downlighting for every seat and the availability of air conditioning and individual, aircraft-style ventilation nozzles at extra cost. For added peace of mind all seats and mountings are tested to passenger car (M1) standards.



17-seater comfort
Light and spacious, Movano Minibus offers comfortable transport for 17, with inertia-reel lap and diagonal seatbelts for every occupant.



Overhead storage

Movano Minibus features overhead storage
on both sides of the passenger compartment
useful for coats and light luggage.



Walkway illumination Individual lighting to each seat row helps guide passengers when it's dark.

Features include:*

- > Dual front passenger bench seat
- > 14 individual rear passenger seats
- > Individual saloon lighting for all
- rear seats
- > Illuminated rear passenger walkway
- > Overhead storage and coat racks in rear passenger area
- > Retracting side step
- Selective door-locking with three-button key
- > Electronic Stability Programme-plus (ESP-plus)

Options include:*

- > Electrically operated sliding side-access door
- > Top opening rear side windows
- > Additional rear compartment heating and air conditioning

*Not all features and options are available on every model.



Doublecab

With capacity for up to seven people, a 3.5 tonne GVW and a maximum payload of up to 1398kg, the Movano Doublecab is designed to take your crew and equipment exactly where they need to be. Comfortwise, the Doublecab features four individually contoured rear seats with full lap and diagonal seatbelts. Rear storage includes a full-length tray under the seat cushion, plus optional overhead and side net pockets (illustrated below).

The rear compartment is all the more practical for being only partially trimmed – making it a lot more workmanlike and low maintenance. Despite the rear seats, loadspace volumes remain impressive, up to 9cu.m and the windowed bulkhead has been cleverly recessed to maximise load floor length. Finally, with a choice of vehicle lengths, engines and front or rear-wheel drive models, the Doublecab is a natural choice for a multitude of operations.



Doublecab line-up



L2 H2 F3500



L3 H2 F3500



L3 H2 R3500

Features include:*

- > Dual front passenger bench seat
- > Four individually contoured rear seats
- > Full-height bulkhead with window
- > Fixed windows in nearside sliding side-access door and opposite panel
- > CD/MP3 CD player/stereo radio
- > Aux-in socket
- > Bluetooth® connectivity
- > USB facility

Options include:*

- > Satellite navigation system
- > Air conditioning
- > Security alarm system
- > Rear parking distance sensors
- > Cruise control
- > Speed limiter
- > Digital tachograph

*Not all features and options are available on every model.



Colours and trims

Movano's business-like appearance is exemplified by the smart choice of colours available for the new vehicle. The cloth or vinyl trims have been chosen as much for their hard-wearing properties as they have for their visual appeal.

Arctic White - solid



Poppy Red – solid



Ambient Blue - two-coat metallic*



Signal Blue - solid



Saffron Yellow - solid



Pearl Black - two-coat metallic*



Mandarin Orange – solid



Ink Blue - solid



North Sea Blue - solid



Halo Silver - two-coat metallic*



Due to the limitations of the printing process, the colours reproduced may vary from the actual colour. As a result they should be used as a guide only.

All Vauxhall Commercial Vehicle retailers have a comprehensive showroom colour display, with actual exterior paint samples available for inspection.

Please note: Certain alternative colours are available for special order on Movano. Restrictions apply so please consult your Commercial Vehicle retailer for more details.



Grey Pulse cloth Hard-wearing Grey Pulse cloth trim is fitted as standard across the range.



Grey vinyl** Alternatively, grey vinyl trim can be specified at no extra cost for customers requiring a more workmanlike, wipeclean option.


Trim			
Grey Pulse cloth	Grey vinyl**		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		

^{• =} Available *Optional at extra cost.

^{**}Optional at no extra cost. Not available on Minibus models.

Combi 6-seat FWD L1 H1

Combi 9-seat FWD L2 H2



Measurements are shown in millimetres (inches).

Combi highlights

Safety and security

- Driver's airbag
- Inertia-reel lap and diagonal seatbelts
- Electronic Stability Programme-plus (ESP-plus) with traction control
- Anti-lock Braking System (ABS)
- Emergency Brake Assist (EBA)
- ISOFIX child seat fixings: 1x front row, 2x second row
- Remote control central door locking with two, two-button keys and automatic locking

Interior


- Height-adjustable steering wheel
- Central 12-volt electrical accessory socket
- Mobile phone storage with adjacent 12-volt accessory socket
- CD/MP3 CD player/stereo radio/aux-in socket/Bluetooth® connectivity/USB connectivity/integrated display/four 15-watt speakers (CD 15 BT USB)
- Steering column mounted audio controls
- Driver's seat adjustable for height, cushion angle, reach and rake

- Driver's seat armrest
- Dual front passengers' bench seat
- Three passenger second-row bench seat
- Three passenger third-row bench seat (9-seat)
- Pulse cloth seat trim
- Full-length soft-trimmed headlining
- Full-height interior side mouldings
- Load restraint lashing eyes

Exterior

- Electrically operated front windows
- Foldable electrically adjustable/heated door mirrors (wide-angle on driver's side)
- Nearside sliding side-access door
- Side-protection mouldings
- Tinted glass
- Glazed rear doors (90°/180° opening)
- 16-inch steel wheels with 215/65 R 16 tyres (6-seat, 3300 models), 225/65 R 16 tyres (9-seat, 3500 models)
- Full-size, underfloor mounted, spare wheel (Tyre inflation kit available as a no-cost option in lieu of spare wheel)

Minibus 17-seat FWD L3 H2



Measurements are shown in millimetres (inches)

Minibus highlights

Safety and security

- Digital tachograph*
- Speed limiter (62mph)
- M1 Type Approval standard for all rear seatbelt anchorages
- Driver's airbag
- Inertia-reel lap and diagonal seatbelts
- Electronic Stability Programme-plus (ESP-plus) with traction control
- Anti-lock Braking System (ABS)
- Emergency Brake Assist (EBA)
- Remote control central door locking with two, two-button keys and automatic locking


Interior

- Height-adjustable steering wheel
- Mobile phone storage with adjacent 12-volt accessory socket
- CD/MP3 CD player/stereo radio/aux-in socket/Bluetooth® connectivity/USB connectivity/integrated display/four 15-watt speakers (CD 15 BT USB)
- Steering column mounted audio controls

- Driver's seat adjustable for height, cushion angle, reach and rake
- Driver's seat armrest
- Dual front passengers' multi-function office bench seat
- 14-individual rear passenger seats in staggered layout
- Pulse cloth seat trim
- Raised seating with central illuminated gangway
- Slip-resistant floor covering
- Individual saloon lighting
- Full-length soft-trimmed headlining
- Full-height interior side mouldings

Exterior

- Electrically operated front windows
- Foldable electrically adjustable/heated door mirrors (wide-angle on driver's side)
- Electrically operated sidestep
- Nearside sliding side-access door
- Side-protection mouldings
- Tinted glass
- Glazed rear doors (90°/180° opening)
- 16-inch steel wheels with 225/65 R 16 tyres
- Tyre inflation kit



Doublecab highlights

Safety and security

- Driver's airbag
- Inertia-reel lap and diagonal seatbelts
- Electronic Stability Programme-plus (ESPplus) with traction control (RWD models)
- Anti-lock Braking System (ABS)
- Emergency Brake Assist (EBA)
- Remote control central door locking with two, two-button keys and automatic locking

Interior

- Height-adjustable steering wheel
- Central 12-volt electrical accessory socket
- Mobile phone storage with adjacent 12-volt accessory socket
- CD/MP3 CD player/stereo radio/aux-in socket/Bluetooth® connectivity/USB connectivity/integrated display/two 15-watt speakers (CD 15 BT USB)
- Steering column mounted audio controls
- Driver's seat adjustable for height, cushion angle, reach and rake
- Driver's seat armrest
- Dual front passengers' bench seat

- Four individually contoured rear seats
- Pulse cloth seat trim
- Full-height ABS plastic bulkhead with window
- Lower rear seat storage pocket
- Load restraint lashing eyes

Exterior

- Electrically operated front windows
- Foldable electrically adjustable/heated door mirrors (wide-angle on driver's side)
- Nearside sliding side-access door
- Side-protection mouldings
- Tinted glass
- Unglazed rear doors (90°/180° opening)
- 16-inch steel wheels with 225/65 R 16 tyres (FWD), 235/65 R 16 tyres (RWD)
- Full-size, underfloor mounted, spare wheel (Tyre inflation kit available as a no-cost option in lieu of spare wheel)

Options at extra cost

Option packs

- Lighting Pack Comfort Pack
- Office Pack
 Smoker Pack

Safety and security options

- Front passengers' airbag
- Driver's side-impact airbag
- Electronic Stability Programme-plus (ESPplus) with traction control (FWD models)
- Security alarm
- Speed limiter (standard on minibus models)
- Rear parking distance sensors
- Rear reversing lens

Interior and seating options

- · Comfort driver's seat with armrest and lumbar adjustment
- Dual front passengers' multi-function office
- Single front passenger's seat with armrest Single 'Comfort' front passenger's seat with
- adjustable armrest and lumbar adjustment
- Floor seat fixing rails and removable seats (standard on Combi models)
- Vinvl seat trim
- Air conditioning
- Electronic Climate Control (ECC) incorporating air conditioning
- Additional rear heating and air conditioning
- Multi-function trip computer
- Cruise control
- Digital tachograph*
- CD/MP3 CD player/stereo radio/aux-in socket/Bluetooth® connectivity/USB connectivity/remote display/two 20-watt speakers (CD 35 BT USB)
- Satellite navigation, mandates CD 35 BT USB (includes a three-month free subscription to TomTom Live)
- Overhead storage rack above seats
- Window blinds

Mechanical options

- Engine-driven power take-off
- Gearbox-driven power take-off
- Increased engine idle speed
- Limited-slip differential

- CANhus interface.
- Six-pin connector for conversions
- 105-litre fuel tank

Exterior options

- Electrically operated nearside sliding side-access door with fixed window
- Offside sliding side-access door
- Sliding window in nearside sliding side-access door
- Sliding windows in nearside and optional offside sliding side-access door
- Top opening rear side windows
- Front fog lights
- Front and rear mudflaps
- Glazed rear doors (90°/180° opening)
- Heated rear windows
- Glazed/unglazed rear doors (270° opening)
- Rear bumper with integral step (standard) on RWD models)
- Tow har**
- All season tyres. Continental Vanco Four Season 2, 225/65 R 16 (FWD) or 235/65 R 16 (RWD)

Load area (Doublecab only)

- Full-height plywood load lining panels and wheel arch protection
- Resin-coated plywood load floor covering
- Side-mounted anchorage points
- Two grab handles (side-access and rear doors)
- Three grab handles (two side-access and rear doors)

Please note: some of the options listed are not available on every model. Please consult your Vauxhall Commercial Vehicle retailer or check the latest Commercial Vehicle price quide for specific option availability.

*= Standard on minibus models. Must be specified at time of ordering as it cannot be fitted retrospectively. Vehicles fitted with tachograph include odometer display, in kilometres, replacing standard odometer display on instrument cluster. Option price for digital tachograph does not include calibration which must be carried out at an approved tachograph centre within 14 days of the vehicle's registration. Please note: The legislation regarding the use of tachographs is complex and operators should seek independent advice or speak to the Commercial Vehicle specialist at your Vauxhall retailer to ensure compliance. Alternatively your local DVLA office will also be able to provide clarification of the relevant legislation. **= Unless the user qualifies for a specific exemption, vehicles operated with a trailer, where the combined weight of the vehicle, trailer and payload exceeds 3500kg, will need a tachograph.

Model availability

Model availability
Combi 6-seat FWD L1 H1 3300
2.3CDTI 16v (100) Euro 5
Combi 9-seat FWD L2 H2 3500
2.3CDTI 16v (125) Euro 5
2.3CDTI 16v (125) Euro 5 Tecshift
2.3CDTI 16v (150) Euro 5
Minibus 17-seat FWD L3 H2 3900
2.3CDTI 16v (125) Euro 5 Tacho
2.3CDTI 16v (125) Euro 5 Tacho Tecshift
Doublecab FWD L2 H2 3500
2.3CDTI 16v (125) Euro 5
2.3CDTI 16v (150) Euro 5
2.3CDTI 16v (150) Euro 5 Tecshift
Doublecab FWD L3 H2 3500

L.OCD IT TOV (130) Lato 3 Tecsime
Doublecab FWD L3 H2 3500
2.3CDTI 16v (125) Euro 5
2.3CDTI 16v (150) Euro 5

2.3CDTI 16v (150) Euro 5 Tecshift

Doublecab RWD L3 H2 3500 2.3CDTI 16v (125) Euro 5

2.3CDTI 16v (150) Euro 5

Engines

	2.3CDTI 16v (100PS)	2.3CDTI 16v (125PS)	2.3CDTI 16v (146PS)		
Fuel type	Diesel	Diesel	Diesel		
Capacity	2298cc 2298cc		2298cc		
Maximum power	100PS (74kW) @ 3500rpm		146PS (107kW) @ 3500rpm		
Maximum torque	285Nm (210 lb.ft.) @ 1250-2000rpm 310Nm (229 lb.ft.) @ 1250-2500rpm 350Nm (258 lb.ft.) @ 1500-2750rpm				
Configuration	4 cylinders, 4 valves per cylinder, double overhead camshafts				
Fuel/induction system	Fixed geometry turbocharger and Variable geometry turbocharger and				
	intercooler. Common rail fuel injection intercooler. Common rail fuel injection				
Emission compliance	Euro 5				
Service interval	25,000 miles or two years (whichever occurs sooner)				

Fuel economy and emissions

	Fuel					
Combi 6-seat FWD L1 H1 3300	Urban driving	Extra-urban driving	Combined figure	CO ₂ (g/km)#		
2.3CDTI 16v (100)	33.2 (8.5)	44.1 (6.4)	39.2 (7.2)	190		
Combi 9-seat FWD L2 H2 3500						
2.3CDTI 16v (125)	32.8 (8.6)	42.8 (6.6)	38.2 (7.4)	195		
2.3CDTI 16v (125) Tecshift	35.8 (7.9)	44.8 (6.3)	40.9 (6.9)	180		
2.3CDTI 16v (150)	28.0 (10.1)	40.9 (6.9)	35.3 (8.0)	211		
Minibus 17-Seat FWD L3 H2 3900						
2.3CDTI 16v (125) Tacho	28.5 (9.9)	40.4 (7.0)	34.9 (8.1)	212		
2.3CDTI 16v (125) Tacho/Tecshift	31.7 (8.9)	42.2 (6.7)	37.2 (7.6)	199		
Doublecab FWD L2 H2 3500						
2.3CDTI 16v (125)	30.7 (9.2)	39.2 (7.2)	35.3 (8.0)	209		
2.3CDTI 16v (150)	28.2 (10.0)	37.2 (7.6)	34.0 (8.3)	223		
Doublecab FWD L3 H2 3500						
2.3CDTI 16v (125)	30.1 (9.4)	38.7 (7.3)	35.3 (8.0)	211		
2.3CDTI 16v (150)	27.7 (10.2)	36.2 (7.8)	32.5 (8.7)	227		
Doublecab RWD L3 H2 3500						
2.3CDTI 16v (125/150)	26.2 (10.8)	32.5 (8.7)	29.7 (9.5)	248		

^{# =} Official Government Test Environmental Data. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

Weights and towing data

	UK plated weights and kerbweights kg Front axle Rear axle Total					Payload	Plated Gross Combination	
	Plated	Kerb	Plated	Kerb	GVW	Kerb	kg	Weights (GCW) kg
Combi 6-seat FWD L1 F	1 1							
3300 2.3CDTI 16v	1850	1191	2100	811	3300	2002	1298	5800
Combi 9-seat FWD L2 H2								
3500 2.3CDTI 16v	1850	1274	2100	875	3500	2149	1351	6000
Minibus 17-seat FWD L	3 H2							
3900 2.3CDTI 16v	1850	1374	2100	1119	3870	2493	1377	n/a
Doublecab FWD L2 H2								
3500 2.3CDTI 16v	1850	1271	2100	831	3500	2102	1398	6000
Doublecab FWD L3 H2								
3500 2.3CDTI 16v	1850	1327	2100	850	3500	2177	1323	6000
Doublecab RWD L3 H2								
3500 2.3CDTI 16v	1850	1211	2300	1113	3500	2324	1176	6000

n/a = Not applicable.

Note: Kerbweights minimum vehicle kerbweight according to Type Approval, including all fluids, tools and a 90% fuel load. Excludes the weight of the driver and deleteable options, e.g. spare wheel and sliding side load door. Final weight may vary according to the specification of the vehicle, e.g. options, delete options and accessories. Payload figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. Gross plated weights (including axle weights) quoted on the vehicle plate must never be exceeded. Roof load maximum 200kg (includes weight of roof carrier) when Vauxhall approved carrier system used. Towing weights: Unbraked trailer: all models = 750kg. Braked trailer: 2500kg.

Vauxhall Assistance and warranties[†]

Every Movano base vehicle comes with:

- A three-year vehicle warranty consisting of a one year/unlimited mileage manufacturer's warranty and a second and third year manufacturer's warranty with a 100,000 miles limitation
- Vauxhall Assistance for 12 months from first registration
- Six-year body panel anti-perforation warranty
- † = Warranty is only available on vehicles sourced from Vauxhall Motors Ltd. Conditions may apply to Combi/Minibus models. Terms and conditions apply – please see your Vauxhall Commercial Vehicle retailer for details.

Fuel tank capacity

- 80 litres (17.6 gallons)
- 105 litres (23.1 gallons) optional

Transmissions

FWD feature: Transverse engine/gearbox. RWD feature: Longitudinal engine/gearbox.

- Six-speed manual gearbox
- Six-speed Tecshift transmission available at extra cost on 125 Combi/Minibus and 150 Doublecab models. Tecshift hydraulic transmission offers all the main features and flexibility of a regular automatic, plus the performance and control of a 'onetouch' manual gearbox. In manual mode the driver changes gear sequentially by pushing the lever forward (higher gear) or pulling it backwards (lower gear), with automatic-style 'kickdown' through two or more gears also possible in manual mode. Automatic clutch control means there is no need for a clutch pedal

Steering

- Power-assisted rack and pinion system
- Turns lock-to-lock: 3.7
- Turning circles (kerb-to-kerb/wall-to-wall):

	Kerb-to-kerb	Wall-to-wall
L1	12.0m (39.4ft.)	12.5m (41.0ft.)
L2	13.6m (44.6ft.)	14.1m (46.2ft.)
L3 FWD	15.7m (51.5ft.)	16.2m (53.1ft.)
L3 RWD	13.6m (44.6ft.)	14.1m (46.2ft.)

Suspension

Front (FWD/RWD): MacPherson type with independent double wishbones, coil springs and telescopic dampers.

Rear (FWD): Tubular axle with variable-rate single leaf springs and telescopic dampers.
Rear (FWD): Tubular axle with variable-rate double leaf springs and telescopic dampers.

Brakes

- Four-channel Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (FBD)
- Emergency Brake Assist (EBA)
- Vacuum servo-assisted system
- Low brake fluid level warning light
- Floor-mounted parking brake lever

Front ventilated disc brakes: 302mm x 28mm

Rear disc brakes:

305mm x 12mm.

Electrics

Maintenance-free battery: 95Ah. (105Ah Tecshift models).

Alternator: 185A.

Body

- Six years' body panel anti-perforation warranty
- Galvanised body panels
- Anti stone-chip mastic coating on sills
- Detachable front towing eye
- Rear towing eye

Tyre rating

Tyre size	Fuel efficiency	Wet grip	External noise	
	group	performance	Measured (dB)	Group
215/65 R 16	B-C	В	72	((:3))
225/65 R 16	B-E	B-C	72-73	((-1))-1))
235/65 R 16	C-E	B-C	72-73	((<)))-))

Trust Vauxhall

Protecting the environment

Vauxhall's commitment to the environment is demonstrated by our products' many environmental awards, won both through the use of more recycled materials and by becoming cleaner and more efficient. For information on Vauxhall's efforts to achieve an environmentally sustainable future, see www.vauxhall.co.uk/recycling

Fleet Customer Services

Our dedicated support services for fleet decision makers include factory demonstrators and information on whole life costs, company car and van taxation and finance. For further information please call **0870 010 0651**.

Vauxhall Extended Warranty

For complete peace of mind Vauxhall offers an extended warranty that can be purchased on an annual basis following the expiry of the original new vehicle warranty. It covers most mechanical and electrical components. Terms and conditions apply, for further details please contact your local Vauxhall Commercial Vehicle retailer.



Business Lease

Business Lease, from GMAC, offers the versatility of a purchase-based finance plan, while making the most efficient use of tax and cash-flow benefits for VAT-registered business users. It's available for all Vauxhall Commercial Vehicles up to 12 months old and offers highly flexible term lengths, variable deposits and a choice of payment profiles. Ask your retailer for full details.

Business First

Available to business users only, Business First enables you to drive a new vehicle without a large, initial financial outlay. You pay to use the vehicle, not to own it. The vehicle is provided over a predetermined period, and when that period comes to an end the vehicle is returned. Ask your retailer for full details.

Servicing and maintenance

The best way to maximise the performance and reliability of your Vauxhall is to have all routine servicing and maintenance carried out at a Vauxhall Commercial Vehicle retailer. Nationwide there are over 250 light commercial vehicle retailers and a further 195 heavy commercial vehicle retailers.

In the event of an accident...

Vauxhall Accident Support helps keep you mobile following an accident. Benefits include scene-of-accident advice, message service, assistance with claims and vehicle recovery. For further details call 0800 010 304.

Premier Service Centres

Our Premier Service Centres feature a guaranteed same day repair service (provided the parts are in stock) and an appointment-free service for diagnosis and repairs taking less than 90 minutes. All repairs are carried out within 24 hours of the diagnosis.

For more information...

For a brochure on any Vauxhall model (up to a maximum of three per caller) or location of your nearest retailer, call **0845 600 1500**.

Alternatively, details can be found on our website at: www.vauxhall.co.uk/vans

Proud Sponsor of Home Nations Football









Every effort has been made to ensure that the contents of this publication were accurate and up-to-date at the time of publication (September 2013). Yauxhall vehicles are equipped with components manufactured by various General Motors operating units and outside suppliers. The Company reserves the right to alter specifications and withdraw products from sale without notice. Any such alterations will be notified to Vauxhall retailers at the earliest operating units and the tearliers of the latest information. The specifications detailed within this brochure are not necessarily applicable to alternative models such as Special Editions. Details of any such models will be contained in specific literature or found on the Vauxhall website. Please note that Vauxhall retailers are not the agents of General Motors UK Limited and are not automised to bind the Company by any specific or implied undertaking or representation. It is advisable to ensure that your motor insurance policy provides adequate cover for additional fitted options and accessories shown are for illustrative purposes only. As part of Vauxhalls policy of environmental care, this brochure is printed on paper manufactured using Elemental Chlorine Free pulps from specially farmed, sustainable timber resources. All rights reserved. No part of this publication may be reproduced in any form or by any means, without the prior written permission of General Motors UK Limited.

V2 ©2013 General Motors UK Limited

Published September 2013

General Motors UK Limited, Luton LU1 3YT



